

Supplementary Table S1. Monthly average (Mean $\pm$ SE) of earwigs found in tree and ground shelters in each orchard (BB, IU, MO and MI) and year (2010-2013). Nymph instar (N1, N2, N3, N4 and N5) is indicated for each earwig species (*F. auricularia* and *F. pubescens*), and adults are segregated by sex

Orchard	2010 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1			0	0	0	0	0	0	0	0	0	0
		N2			0	0	0	0	0	0	0	0	0	0
		N3			0.65 $\pm$ 0.30	0.30 $\pm$ 0.0	0.16 $\pm$ 0.0	0.03 $\pm$ 0.0	0	0	0	0	0	0
		N4			0.50 $\pm$ 0.21	6.10 $\pm$ 0.0	1.30 $\pm$ 0.0	0.23 $\pm$ 0.0	0	0	0	0	0	0
		Male			0	0.03 $\pm$ 0.0	1.74 $\pm$ 0.0	5.65 $\pm$ 0.0	0.81 $\pm$ 0.0	0.06 $\pm$ 0.0	0.10 $\pm$ 0.0	0.08 $\pm$ 0.0	0.02 $\pm$ 0.0	0
		Female			0	0.03 $\pm$ 0.0	2.70 $\pm$ 0.0	7.00 $\pm$ 0.0	1.35 $\pm$ 0.0	0.11 $\pm$ 0.0	0.33 $\pm$ 0.0	0.15 $\pm$ 0.0	0.13 $\pm$ 0.0	0.11 $\pm$ 0.0
	<i>Forficula pubescens</i>	N1			0	0	0	0	0	0	0	0	0	0
		N2			0	0	0	0	0	0	0	0	0	0
		N3			0	0	0	0	0	0	0	0	0	0
		N4			0	0	0	0	0	0	0	0	0	0
		N5			0	0	0	0	0	0	0	0	0	0
		Male			0	0	0	0	0	0	0	0	0	0
		Female			0	0	0	0	0	0	0	0	0	0

Orchard	2011 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0.03 ± 0.0	0	0	0	0	0	0	0.03 ± 0.0	0.13 ± 0.0
		N3		0	0.05 ± 0.0	0.13 ± 0.0	0.04 ± 0.0	0	0	0	0	0	0.05 ± 0.0	0.23 ± 0.0
		N4		0	0	1.80 ± 0.0	0.88 ± 0.0	0.08 ± 0.0	0	0	0	0	0	0
		Male		0	0	0.01 ± 0.0	4.68 ± 0.0	6.55 ± 0.0	0.55 ± 0.0	0.28 ± 0.0	0.28 ± 0.0	0.12 ± 0.0	0.05 ± 0.0	0
		Female		0	0	0.28 ± 0.0	7.10 ± 0.0	8.79 ± 0.0	1.50 ± 0.0	1.06 ± 0.0	1.33 ± 0.0	0.36 ± 0.0	0.43 ± 0.0	0.08 ± 0.0
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0
		N3		0	0	0	0	0.03 ± 0.03	0	0	0	0	0	0
		N4		0	0	0	0	0	0	0	0	0	0	0
		N5		0	0	0	0	0	0	0	0	0	0	0
		Male		0	0.05 ± 0.03	0	0	0	0	0	0	0	0	0
		Female		0	0.05 ± 0.03	0	0	0	0	0	0	0	0	0
IU	<i>Forficula auricularia</i>	N1			0	0.03 ± 0.03	0	0	0	0	0	0	0	0
		N2			0	0.05 ± 0.05	1.05 ± 0.25	0	0	0	0	0	0	0
		N3			0	1.93 ± 0.73	5.53 ± 2.16	0.09 ± 0.05	0	0	0	0	0	0
		N4			0.02 ± 0.02	0.13 ± 0.08	12.03 ± 2.44	0.76 ± 0.19	0.03 ± 0.03	0	0	0	0	0
		Male			0	0	0.38 ± 0.14	6.89 ± 1.04	1.00 ± 0.28	0.4 ± 0.12	0.53 ± 0.16	0.36 ± 0.08	0.10 ± 0.06	0.36 ± 0.17
		Female			0.04 ± 0.03	0.08 ± 0.04	0.85 ± 0.22	11.78 ± 1.79	2.27 ± 0.55	0.56 ± 0.15	0.60 ± 0.12	0.36 ± 0.08	0.45 ± 0.14	0.08 ± 0.04
	<i>Forficula pubescens</i>	N1			0	0	0	0	0	0	0	0	0	0
		N2			0	0	0.08 ± 0.06	0.04 ± 0.03	0	0	0	0	0	0
		N3			0	0	0.38 ± 0.15	0.26 ± 0.08	0	0	0	0	0	0
		N4			0	0	0	1.28 ± 0.26	0.24 ± 0.12	0.02 ± 0.02	0	0.18 ± 0.11	0	0
		N5			0	0	0	0	0	0	0	0	0	0
		Male			0.78 ± 0.16	0.23 ± 0.10	0	0.2 ± 0.06	1.11 ± 0.30	0.31 ± 0.12	0.50 ± 0.11	0.40 ± 0.11	0.73 ± 0.25	0.03 ± 0.03
		Female			0.04 ± 0.04	0.63 ± 0.14	0	1.2 ± 0.34	1.32 ± 0.19	0.60 ± 0.15	0.48 ± 0.12	0.30 ± 0.09	1.20 ± 0.31	0.23 ± 0.09

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. *Spanish Journal of Agricultural Research* Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2011 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
MO	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0.03 ± 0.03
		N3		0	0	0	0	0	0	0	0	0	0	0.13 ± 0.06
		N4		0	0	0.03 ± 0.03	0.18 ± 0.11	0	0	0	0	0	0	0
		Male		0	0	0	1.20 ± 0.36	2.28 ± 0.72	0.23 ± 0.08	0.16 ± 0.09	0.13 ± 0.06	0.12 ± 0.07	0.03 ± 0.03	0
		Female		0	0	0	1.82 ± 0.44	3.18 ± 1.05	0.53 ± 0.19	0.18 ± 0.11	0.28 ± 0.16	0.10 ± 0.06	0.20 ± 0.11	0
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0
		N3		0	0	0	0	0	0	0	0	0	0	0
		N4		0	0	0	0	0	0	0	0	0	0	0
		N5		0	0	0	0	0	0	0	0	0	0	0
		Male		0	0	0	0	0	0	0	0	0	0	0
		Female		0	0	0	0	0	0	0	0	0	0	0
Orchard	2012 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0.13 ± 0.0	0	0	0	0	0	0	0	0	0	0	0
		N3	0.52 ± 0.0	0	0.08 ± 0.0	0.11 ± 0.0	0.02 ± 0.0	0	0	0	0	0	0	0
		N4	0	0	0.64 ± 0.0	6.84 ± 0.0	0.56 ± 0.0	0.03 ± 0.0	0	0	0	0	0	0.03 ± 0.0
		Male	0	0	0	0.05 ± 0.0	1.44 ± 0.0	1.55 ± 0.0	0.22 ± 0.0	0.16 ± 0.0	0.07 ± 0.0	0.02 ± 0.0	0.03 ± 0.0	0.07 ± 0.0
		Female	0	0	0	0.18 ± 0.0	1.98 ± 0.0	2.75 ± 0.0	0.32 ± 0.0	0.1 ± 0.0	0.20 ± 0.0	0.04 ± 0.0	0.50 ± 0.0	0.03 ± 0.0
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0	0	0	0	0	0	0	0	0	0	0	0
		N3	0	0	0	0	0	0	0	0	0	0	0	0
		N4	0	0	0	0	0	0	0	0	0	0	0	0
		N5	0	0	0	0	0	0	0	0	0	0	0	0
		Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female	0	0	0	0	0	0	0	0	0	0	0	0

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2012 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
IU	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0	0	0	0.03 ± 0.03	0.02 ± 0.02	0	0	0	0	0	0	0
		N3	0	0	0	0.13 ± 0.09	0.98 ± 0.25	0.49 ± 0.17	0	0	0	0	0	0
		N4	0	0	0	0.11 ± 0.05	18.79 ± 3.37	0.67 ± 0.22	0	0	0	0	0	0
		Male	0	0	0	0.03 ± 0.03	2.0 ± 0.5	8.31 ± 1.84	1.68 ± 0.41	0.06 ± 0.03	0.4 ± 0.13	0.18 ± 0.07	0.08 ± 0.06	0
		Female	0	0	0.08 ± 0.05	0.26 ± 0.10	2.56 ± 0.59	13.23 ± 2.95	2.38 ± 0.55	0.14 ± 0.06	0.4 ± 0.15	0.42 ± 0.14	0.26 ± 0.10	0
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0	0	0	0.16 ± 0.09	0	0	0	0	0	0	0	0
		N3	0	0	0	0	0.25 ± 0.09	0.03 ± 0.03	0	0	0	0	0	0
		N4	0	0	0	0	0.48 ± 0.11	0.21 ± 0.11	0	0	0	0	0	0
		N5	0	0	0	0	0.17 ± 0.06	1.46 ± 0.33	0.10 ± 0.08	0	0	0	0	0
		Male	0.04 ± 0.03	0.04 ± 0.04	0.3 ± 0.1	0.32 ± 0.13	0.02 ± 0.02	0.21 ± 0.07	0.50 ± 0.14	0.06 ± 0.04	0.03 ± 0.03	0.04 ± 0.03	0.05 ± 0.04	0
		Female	0	0	0.11 ± 0.06	1.5 ± 0.5	0.02 ± 0.02	0.36 ± 0.16	0.55 ± 0.18	0.10 ± 0.04	0.08 ± 0.04	0.10 ± 0.05	0.23 ± 0.08	0
MO	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0.04 ± 0.03	0	0	0	0	0	0	0	0	0.02 ± 0.02	0.08 ± 0.06	0
		N3	0	0	0.03 ± 0.03	0	0.13 ± 0.06	0	0	0	0	0	0.03 ± 0.03	0
		N4	0	0	0.03 ± 0.03	1.29 ± 0.37	6.73 ± 2.61	0.4 ± 0.18	0.02 ± 0.02	0	0	0	0	0
		Male	0	0	0	0.27 ± 0.11	4.48 ± 1.14	4.5 ± 1.0	3.28 ± 0.87	0.26 ± 0.07	0.63 ± 0.26	0.66 ± 0.23	0.36 ± 0.15	0
		Female	0	0	0.03 ± 0.03	0.17 ± 0.08	6.05 ± 1.39	7.98 ± 1.47	5.2 ± 1.3	0.30 ± 0.09	1.57 ± 0.49	0.94 ± 0.24	1.44 ± 0.30	0
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0	0	0	0	0	0	0	0	0	0	0	0
		N3	0	0	0	0	0	0	0	0	0	0	0	0
		N4	0	0	0	0	0.03 ± 0.03	0	0	0	0	0	0	0
		N5	0	0	0	0	0	0	0	0	0	0	0	0
		Male	0	0	0	0	0	0	0.02 ± 0.02	0	0	0	0	0
		Female	0	0	0	0.02 ± 0.02	0	0	0.02 ± 0.02	0	0	0	0	0

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2012 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
MI	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0.03 ± 0.03	0	0	0	0	0	0	0
		N3		0	0	0.20 ± 0.11	0.13 ± 0.05	0.10 ± 0.05	0	0	0	0.02 ± 0.02	0	0
		N4		0	0	0.80 ± 0.31	14.21 ± 3.81	0.48 ± 0.13	0	0	0	0	0	0.04 ± 0.04
		Male		0	0	0.06 ± 0.03	5.13 ± 1.10	24.05 ± 3.47	0.51 ± 0.12	0.10 ± 0.05	0.20 ± 0.11	0.50 ± 0.15	0.54 ± 0.16	0
		Female		0	0.05 ± 0.04	0.10 ± 0.07	7.41 ± 1.66	38.45 ± 4.69	1.49 ± 0.34	0.38 ± 0.12	0.23 ± 0.09	1.24 ± 0.33	1.05 ± 0.25	0.07 ± 0.05
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0
		N3		0	0	0	0.05 ± 0.04	0.03 ± 0.03	0	0	0	0	0	0
		N4		0	0	0	0.31 ± 0.14	0	0	0	0	0	0	0
		N5		0	0	0	0.18 ± 0.07	0.33 ± 0.09	0	0	0	0	0	0
		Male		0	0	0	0	0.35 ± 0.08	0.11 ± 0.05	0	0	0	0	0
		Female		0	0.03 ± 0.03	0	0	0.38 ± 0.09	0.13 ± 0.06	0	0	0.02 ± 0.02	0.03 ± 0.03	0
Orchard	2013 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0.04 ± 0.0	0	0	0	0	0	0	0.07 ± 0.0	
		N3	0.08 ± 0.0	0.03 ± 0.0	0.42 ± 0.0	0.15 ± 0.0	0.02 ± 0.0	0	0	0	0	0	0.13 ± 0.0	
		N4	0.04 ± 0.0	0.08 ± 0.0	0.29 ± 0.0	3.27 ± 0.0	1.49 ± 0.0	0.10 ± 0.0	0	0	0	0	0	
		Male	0	0	0	0.08 ± 0.0	2.35 ± 0.0	8.28 ± 0.0	2.03 ± 0.0	0.16 ± 0.0	0.3 ± 0.0	0.12 ± 0.0	0	
		Female	0	0	0.05 ± 0.0	0.08 ± 0.0	3.31 ± 0.0	6.79 ± 0.0	3.71 ± 0.0	0.51 ± 0.0	0.43 ± 0.0	0.26 ± 0.0	0.13 ± 0.0	
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0	0	0	0	0	0	0	0	
		N3	0	0	0	0	0	0	0	0	0	0	0	
		N4	0	0	0	0	0	0	0	0	0	0	0	
		N5	0	0	0	0	0	0	0	0	0	0	0	
		Male	0	0	0	0	0	0	0	0	0	0	0	
		Female	0	0	0	0	0	0	0	0	0	0	0.03 ± 0.03	

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2013 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
IU	<i>Forficula auricularia</i>	N1	0	0	0	0	0.02 ± 0.02	0	0	0	0	0	0	
		N2	0	0	0	0	0.29 ± 0.08	0.05 ± 0.04	0	0	0	0	0	
		N3	0	0	0.05 ± 0.04	0	0.67 ± 0.21	0.22 ± 0.10	0.03 ± 0.03	0	0	0	0	
		N4	0	0	0.03 ± 0.03	0	9.64 ± 1.97	1.97 ± 0.74	0.03 ± 0.03	0	0	0	0	
		Male	0.04 ± 0.03	0	0.03 ± 0.03	0	0.44 ± 0.18	4.73 ± 0.84	0.38 ± 0.09	0.06 ± 0.03	0.13 ± 0.09	0.08 ± 0.04	0	
		Female	0	0.03 ± 0.03	0.05 ± 0.04	0	1.04 ± 0.43	7.24 ± 1.28	0.53 ± 0.13	0.04 ± 0.03	0.20 ± 0.07	0.35 ± 0.10	0.2 ± 0.1	
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0	0	0	0	0	0	0	0	
		N3	0	0	0	0	0	0	0	0	0	0	0	
		N4	0	0	0	0	0	0	0	0	0	0	0	
		N5	0	0	0	0	0	0	0	0	0	0	0	
		Male	0	0.03 ± 0.03	0.14 ± 0.06	0	0	0	0	0.02 ± 0.02	0	0	0	
		Female	0	0	0	0	0	0	0.03 ± 0.03	0	0	0	0	
MO	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0.02 ± 0.02	0	0	0.03 ± 0.03	0	0.06 ± 0.06	0	0	0	0	0.23 ± 0.12	
		N3	0.04 ± 0.04	0.03 ± 0.03	0.10 ± 0.05	0.27 ± 0.2	0.94 ± 0.24	0.28 ± 0.25	0	0	0	0	0.20 ± 0.09	
		N4	0	0.03 ± 0.03	0.28 ± 0.14	1.60 ± 0.66	9.32 ± 1.53	3.50 ± 0.84	0.62 ± 0.39	0	0	0	0	
		Male	0.02 ± 0.02	0	0	0	5.11 ± 1.47	23.97 ± 3.89	15.38 ± 2.76	1.15 ± 0.27	0.54 ± 0.13	1.42 ± 0.23	0.9 ± 0.32	
		Female	0	0	0	0.37 ± 0.3	6.91 ± 1.52	17.47 ± 3.65	18.03 ± 3.08	1.83 ± 0.41	1.5 ± 0.53	2.42 ± 0.48	2.07 ± 0.55	
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0	0	0	0	0	0	0	0	
		N3	0	0	0	0	0	0	0	0	0	0	0	
		N4	0	0	0	0	0	0	0	0	0	0	0	
		N5	0	0	0	0	0	0	0	0	0	0	0	
		Male	0	0	0	0	0	0	0	0	0	0	0	
		Female	0	0	0	0	0	0	0.06 ± 0.04	0	0	0.02 ± 0.02	0	

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2013 Tree trap		J	F	M	A	M	J	J	A	S	O	N	D
MI	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0.03 ± 0.03	0	0				
		N2	0	0	0	0	0.06 ± 0.04	0.10 ± 0.05	0.03 ± 0.03	0				
		N3	0	0	0	0.04 ± 0.04	0.18 ± 0.08	0.90 ± 0.64	0.05 ± 0.04	0				
		N4	0	0	0	0	6.62 ± 2.32	1.41 ± 0.50	0	0				
		Male	0	0	0	0.04 ± 0.04	0.4 ± 0.15	6.15 ± 1.44	3.67 ± 0.85	1.10 ± 0.66				
		Female	0.02 ± 0.02	0	0	0	0.6 ± 0.21	6.87 ± 1.69	4.41 ± 1.10	1.30 ± 0.62				
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0				
		N2	0	0	0	0	0	0	0	0				
		N3	0	0	0	0	0	0	0	0				
		N4	0	0	0	0	0	0	0	0				
		N5	0	0	0	0	0	0	0	0				
		Male	0	0	0	0	0	0.03 ± 0.03	0.05 ± 0.05	0				
		Female	0	0	0	0	0	0.03 ± 0.03	0.10 ± 0.06	0				
Orchard	2012 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0.67 ± 0.40
		N2		0	0	0	0	0	0	0	0	0	0.08 ± 0.04	0.23 ± 0.17
		N3		0.03 ± 0.03	0.18 ± 0.07	0.18 ± 0.06	0.06 ± 0.03	0	0	0	0	0	0	0.20 ± 0.11
		N4		0	0.10 ± 0.06	1.63 ± 0.48	0.30 ± 0.15	0	0	0	0	0	0	0.07 ± 0.07
		Male		0	0	0.03 ± 0.03	0.40 ± 0.11	0.08 ± 0.04	0	0.02 ± 0.02	0	0.04 ± 0.03	0	0.07 ± 0.05
		Female		0	0	0	0.28 ± 0.11	0.10 ± 0.06	0	0.04 ± 0.04	0.1 ± 0.06	0.08 ± 0.05	0.15 ± 0.07	0.07 ± 0.07
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0
		N3		0	0	0	0	0	0	0	0	0	0	0
		N4		0	0	0	0	0	0	0	0	0	0	0
		N5		0	0	0	0	0	0	0	0	0	0	0
		Male		0	0	0	0	0	0	0	0	0	0	0
		Female		0	0	0	0	0	0	0	0	0	0	0

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2012 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
IU	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0.03 ± 0.03	0.04 ± 0.03	0	0	0	0	0	0	0
		N3		0	0	0.25 ± 0.1	0.71 ± 0.27	0	0	0	0	0	0	0
		N4		0	0	0	0.78 ± 0.21	0.08 ± 0.06	0	0	0	0	0	0
		Male		0	0	0	0.02 ± 0.02	0.05 ± 0.04	0.05 ± 0.03	0.08 ± 0.05	0	0	0	0
		Female		0	0	0.03 ± 0.03	0.06 ± 0.03	0	0.03 ± 0.03	0.04 ± 0.03	0	0.02 ± 0.02	0	0
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0.93 ± 0.25	0.63 ± 0.16	0.03 ± 0.03	0	0	0	0	0	0
		N3		0	0	0.18 ± 0.08	1.39 ± 0.41	0.14 ± 0.07	0	0	0	0	0	0
		N4		0	0	0.13 ± 0.13	0.69 ± 0.17	0.35 ± 0.12	0	0	0	0	0	0
		N5		0	0	0.03 ± 0.03	0.04 ± 0.03	0.27 ± 0.07	0	0	0	0	0	0
		Male		0.03 ± 0.03	0.40 ± 0.11	0.20 ± 0.06	0.08 ± 0.04	0	0	0	0	0.02 ± 0.02	0	0
		Female		0	0.18 ± 0.11	1.05 ± 0.33	0.12 ± 0.07	0	0	0.04 ± 0.03	0	0	0	0.03 ± 0.03
MO	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0.10 ± 0.06
		N2		0	0.08 ± 0.08	0.06 ± 0.03	0.03 ± 0.03	0	0	0	0	0.02 ± 0.02	0.60 ± 0.27	5.40 ± 1.86
		N3		0	0.08 ± 0.04	0.12 ± 0.05	0.44 ± 0.23	0.03 ± 0.03	0	0	0	0	0.28 ± 0.12	1.87 ± 0.54
		N4		0	0.08 ± 0.06	1.16 ± 0.39	3.15 ± 1.36	0.10 ± 0.06	0	0	0	0	0	0.13 ± 0.08
		Male		0	0	0.12 ± 0.05	1.0 ± 0.4	0.13 ± 0.08	0	0.18 ± 0.16	0	0.22 ± 0.09	0.05 ± 0.03	0
		Female		0	0	0.12 ± 0.05	1.12 ± 0.29	0.28 ± 0.09	0.12 ± 0.05	0.46 ± 0.30	0.07 ± 0.05	0.10 ± 0.04	1.23 ± 0.24	0.23 ± 0.09
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0	0	0	0	0	0	0	0
		N3		0	0	0	0.38 ± 0.18	0	0	0	0	0	0	0
		N4		0	0	0	0.38 ± 0.17	0	0.02 ± 0.02	0	0	0	0	0
		N5		0	0	0	0	0	0	0	0	0	0	0
		Male		0	0	0.02 ± 0.02	0	0	0	0	0	0	0	0
		Female		0	0	0.02 ± 0.02	0	0	0	0	0	0	0	0

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2012 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
MI	<i>Forficula auricularia</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0	0.05 ± 0.03	0	0	0	0	0	0	0
		N3		0	0	0.26 ± 0.07	0.3 ± 0.1	0.03 ± 0.03	0	0	0	0	0	0
		N4		0	0	0.72 ± 0.21	2.88 ± 0.99	0.05 ± 0.03	0	0	0	0	0	0.03 ± 0.03
		Male		0	0.03 ± 0.03	0.04 ± 0.03	0.43 ± 0.19	0.80 ± 0.23	0.08 ± 0.04	0	0.08 ± 0.04	0	0.03 ± 0.03	0
		Female		0	0.03 ± 0.03	0.06 ± 0.03	0.55 ± 0.16	2.75 ± 0.58	0.34 ± 0.10	0.03 ± 0.03	0	0	0.08 ± 0.06	0.07 ± 0.05
	<i>Forficula pubescens</i>	N1		0	0	0	0	0	0	0	0	0	0	0
		N2		0	0	0.24 ± 0.08	0.15 ± 0.08	0	0	0	0	0	0	0
		N3		0	0	0.16 ± 0.06	0.40 ± 0.17	0.03 ± 0.03	0	0	0	0	0	0
		N4		0	0	0.02 ± 0.02	0.65 ± 0.28	0.18 ± 0.09	0	0	0	0	0	0
		N5		0	0	0	0.23 ± 0.10	0.48 ± 0.12	0.02 ± 0.02	0	0	0	0	0
		Male		0	0.05 ± 0.03	0	0	0.08 ± 0.04	0	0	0	0	0.03 ± 0.03	0
		Female		0	0	0.02 ± 0.02	0	0.08 ± 0.04	0.06 ± 0.03	0.03 ± 0.03	0	0	0	0.03 ± 0.03
Orchard	2013 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
BB	<i>Forficula auricularia</i>	N1	0	0	0	0	0.02 ± 0.02	0	0	0	0	0	0	0
		N2	0	0.03 ± 0.03	0.03 ± 0.03	0.47 ± 0.34	0	0	0	0	0	0	0.10 ± 0.08	0
		N3	0.74 ± 0.31	0.23 ± 0.15	0.30 ± 0.12	0.20 ± 0.11	0	0	0	0	0	0	0.45 ± 0.31	0
		N4	0.22 ± 0.08	0.28 ± 0.14	0.45 ± 0.16	2.20 ± 0.49	0.62 ± 0.16	0	0	0	0	0	0	0
		Male	0	0	0	0	0.98 ± 0.23	0.20 ± 0.08	0.07 ± 0.05	0.05 ± 0.03	0	0.12 ± 0.05	0	0
		Female	0	0.03 ± 0.03	0	0	1.02 ± 0.24	0.33 ± 0.13	0.07 ± 0.05	0	0.13 ± 0.1	0.04 ± 0.03	0.07 ± 0.05	0
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	0
		N2	0	0	0	0	0	0	0	0	0	0	0	0
		N3	0	0	0	0	0	0	0	0	0	0	0	0
		N4	0	0	0	0	0	0	0	0	0	0	0	0
		N5	0	0	0	0	0	0	0	0	0	0	0	0
		Male	0	0	0	0	0	0	0	0	0	0	0	0
		Female	0	0	0	0	0	0	0	0	0	0	0	0

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2013 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
IU	<i>Forficula auricularia</i>	N1	0	0	0	0	0.20 ± 0.09	0.10 ± 0.06	0	0	0	0	0	
		N2	0	0	0	0.07 ± 0.07	0.66 ± 0.15	0.63 ± 0.31	0	0	0	0	0	
		N3	0	0	0	0	0.48 ± 0.18	0.05 ± 0.03	0	0	0	0	0	
		N4	0	0	0	0	1.84 ± 0.48	0.25 ± 0.12	0	0	0	0	0	
		Male	0	0	0	0	0.05 ± 0.05	0.08 ± 0.04	0	0	0	0	0	
		Female	0	0	0	0.07 ± 0.05	0.14 ± 0.06	0.15 ± 0.06	0	0	0	0	0	
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0	0	0	0	0	0	0	0	
		N3	0	0	0	0	0	0	0	0	0	0	0	
		N4	0	0	0	0	0	0	0	0	0	0	0	
		N5	0	0	0	0	0	0	0	0	0	0	0	
		Male	0	0.15 ± 0.11	0.09 ± 0.05	0	0	0	0	0	0	0	0	
		Female	0	0	0.03 ± 0.03	0	0	0	0.28 ± 0.08	0	0	0	0	
MO	<i>Forficula auricularia</i>	N1	0	0	0	0	0	0.03 ± 0.03	0	0	0	0.02 ± 0.02	0.10 ± 0.06	
		N2	0.82 ± 0.40	0.50 ± 0.36	0	0.57 ± 0.26	0.38 ± 0.17	0.03 ± 0.03	0.15 ± 0.15	0	0	0.02 ± 0.02	0.41 ± 0.14	
		N3	7.02 ± 2.17	5.35 ± 2.09	2.73 ± 0.85	0.87 ± 0.23	2.52 ± 0.71	0.16 ± 0.09	0.04 ± 0.04	0	0.07 ± 0.07	0	0.10 ± 0.08	
		N4	0.44 ± 0.16	3.10 ± 1.23	2.88 ± 1.01	5.40 ± 1.29	3.56 ± 0.66	0.16 ± 0.07	0.04 ± 0.04	0	0	0	0	
		Male	0	0.03 ± 0.03	0	0	0.85 ± 0.28	1.11 ± 0.68	0.27 ± 0.13	0.08 ± 0.05	0.03 ± 0.03	0.14 ± 0.05	0.21 ± 0.14	
		Female	0.04 ± 0.03	0	0.03 ± 0.03	0	0.83 ± 0.24	1.87 ± 0.99	0.23 ± 0.12	0.10 ± 0.04	0.20 ± 0.07	0.18 ± 0.07	0.24 ± 0.11	
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0	0	0	0	
		N2	0	0	0	0	0	0	0	0	0	0	0	
		N3	0	0	0	0	0	0	0	0	0	0	0	
		N4	0	0	0	0	0	0	0	0	0	0	0	
		N5	0	0	0	0	0	0	0.04 ± 0.04	0	0	0	0	
		Male	0	0	0	0	0	0	0	0	0	0	0	
		Female	0	0	0	0	0	0	0	0	0.03 ± 0.03	0	0	

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)

Orchard	2013 Ground trap		J	F	M	A	M	J	J	A	S	O	N	D
MI	<i>Forficula auricularia</i>	N1	0	0	0	0	0.04 ± 0.04	0.23 ± 0.10	0	0				
		N2	0	0	0.03 ± 0.03	0	0.27 ± 0.09	1.18 ± 0.30	0.06 ± 0.04	0				
		N3	0	0	0	0	0.08 ± 0.04	0.38 ± 0.25	0.09 ± 0.06	0				
		N4	0	0	0	0	0.58 ± 0.20	0.13 ± 0.07	0	0				
		Male	0	0	0	0	0	0.15 ± 0.08	0.32 ± 0.11	0				
		Female	0.02 ± 0.02	0	0	0	0.06 ± 0.04	0.20 ± 0.09	0.18 ± 0.08	0				
	<i>Forficula pubescens</i>	N1	0	0	0	0	0	0	0	0				
		N2	0	0	0	0	0	0	0	0				
		N3	0	0	0	0	0	0	0	0				
		N4	0	0	0	0	0	0	0	0				
		N5	0	0	0	0	0	0	0	0				
		Male	0	0	0	0	0	0.05 ± 0.03	0.18 ± 0.07	0				
		Female	0	0	0	0	0	0	0	0				

Supplementary table to the article “Phenology and interspecific association of *Forficula auricularia* and *Forficula pubescens* in apple orchards”, by Jaume Lordan, Simó Alegre, Rob Moerkens, María-José Sarasúa and Georgina Alins. Spanish Journal of Agricultural Research Vol. 13 No. 1, March 2015 (<http://dx.doi.org/10.5424/sjar/2015131-6814>)